

EXHIBIT H

Points of VIEW ON LINDANE

Information DOWNLOADS

Medical & Scientific Opinions

Points of View on Lindane

[Jocelyn Elders, MD, Former US Surgeon General and Director of Health for the State of Arkansas. Distinguished Professor of Pediatrics and Public Health at the University of Arkansas for Medical Sciences. February 18, 2008.](#) [FOOD AND DRUG ADMINISTRATION](#)

[Len I. Sweet, PhD, MPH, Msc. Senior Health Scientist, Chemrisk. University of Michigan Alum of Toxicology, Environmental Science and Public Health Graduate Programs. February 23, 2008.](#) [ENVIRONMENTAL PROTECTION AGENCY](#)

[Tor Shwayder, MD, Director, Pediatric Dermatology; Director, Dermatology Residency Program, Henry Ford Hospital, Detroit, Michigan, June 2007.](#) [CENTERS FOR DISEASE CONTROL AND PREVENTION](#)

[Adelaide A. Herbert, MD, Professor of Pediatrics and Dermatology, The University of Texas Medical School at Houston; President, Society for Pediatric Dermatology, May 2007](#) [MEDICAL & SCIENTIFIC OPINIONS](#)

[Amy S. Paller, MD, Walter J. Hamlin Professor and Chair, Dept. of Dermatology, Professor of Pediatrics, Feinberg School of Medicine, Northwestern University, May 2007](#)

[Amy S. Paller, MD, Walter J. Hamlin Professor and Chair, Dept. of Dermatology, Professor of Pediatrics, Feinberg School of Medicine, Northwestern University, May 2005](#)

[Medical Society of the State of New York, March 2007](#)

[Medical Society of the State of New York, June 2005](#)

[Pharmacists Society of the State of New York, April 2006](#)

[U.S. Food and Drug Administration's \(FDA\) Response to Citizen's Petition, 1997](#)

[U.S. FDA Assessment Memorandum on Lindane, posted 2003](#)

[U.S. Centers for Disease Control and Prevention \(CDC\) Sexually Transmitted Disease Treatment Guidelines](#)

[U.S. Environmental Protection Agency \(EPA\) Evaluation of Carcinogenic Potential of Lindane, 2001](#)

[U.S. EPA Reregistration Eligibility Decision \(RED\), 2002](#)

[U.S. EPA Revised Assessment of Risk From Use of Lindane For Treatment of Lice and Scabies, July 2002](#)

[U.S. EPA Response to Comments on the 2002 Lindane RED, July 2006](#)

[World Health Organization Background Document on Lindane for Drinking-Water Quality Guidelines, 2004](#)

Please See [Important Safety Information for Lindane Lotion and Shampoo](#)

Commitment to Public Health and Safety | Lindane Prescribing Information | FDA Information on Lindane

Copyright © 2007 Morton Grove Pharmaceuticals, Inc.



3031 West Grand Boulevard
Suite 800
Detroit, MI 48202
(313) 916-2151 Appts.
(313) 916-2093 Fax

Henry W. Lim, M.D.
Chair, Dept. of Dermatology
Clarence S. Livingood Chair
in Dermatology
(313) 916-4060 Office
E-Mail: hlim1@hfhs.org

Edward A. Krull, M.D.
Chair Emeritus
E. A. Krull Chair in
Dermatologic Surgery
(313) 916-2170

Biologics

Lubomira Scherschun, M.D.
Henry K. Wong, M.D., Ph.D.
(313) 916-2171

Clinical Studies

Linda Stein, M.D.
Lubomira Scherschun, M.D.
(313) 916-8847

Contact Dermatitis

Earl J. Rudner, M.D.
(313) 916-2164

Dermatology Research

Faith M. Strickland, Ph.D.
(313) 874-3385
Henry K. Wong, M.D., Ph.D.
(313) 874-9171

Dermatopathology

Marsha L. Chaffins, M.D.
(313) 916-2172
Min W. Lee, M.D.
Chan K. Ma, M.D.
Adrian H. Ormsby, M.D.

Hair

Ethan Nydorf, M.D.
(313) 916-2168

Laser Therapy

Ethan Nydorf, M.D.
David Ozog, M.D.
Mark Pomaranski, M.D.
Tor Shwayder, M.D.
(313) 916-2150

Lymphoma

Henry W. Lim, M.D.
Henry K. Wong, M.D., Ph.D.
(313) 916-2171

**Mohs Micrographic Surgery,
Cosmetic Dermatology**

Mark R. Balle, M.D.
Mark Pomaranski, M.D.
(248) 661-7317

Multicultural Clinic

Diane M. Jackson-Richards, M.D.
(313) 916-2111

Pediatric Dermatology

Tor A. Shwayder, M.D.
(313) 916-2161

Photodermatology, Vitiligo

Henry W. Lim, M.D.

Pigmented Lesions

Ethan Nydorf, M.D.
Alice Watson, M.D.
(313) 916-2170

Psoriasis

Lubomira Scherschun, M.D.
(313) 916-7679

DEPARTMENT OF DERMATOLOGY
Henry Ford Medical Center
New Center One

Rep. Rebekah Warren
Chair, Committee on the Great Lakes and the
Environment
P.O. Box 30014
Lansing, MI 48909

Re: House Bill 4569 regarding Lindane 12 June 2007

Dear Rep. Warren and Honorable Members of the
Committee,

I am director of Pediatric Dermatology at Henry Ford Hospital in Detroit. This letter concerns the above captioned bill mandating the banning and/or in-office use of topical medical-grade Lindane lotion. Let me put it succinctly: Lindane is safe, effective, it is not toxic if used as directed. I have used it repeatedly on many, many patients over the last 25 years without incident. I have even used it on myself, my children and my pregnant wife. It should continue to be available for pharmacy dispensation and home use by patients.

My training in both pediatrics and dermatology allows me to judge this issue. I am board certified in Pediatrics, in Dermatology and in the sub-specialty of Pediatric Dermatology. Since 1987 I have been director of Pediatric Dermatology at Henry Ford Hospital in Detroit. The University of Michigan Medical School taught the use of Lindane for scabies and lice during my training there. The same was true of my pediatric residency at U of M. Further training at University of Rochester Department of Dermatology (a second residency) reinforced the use of Lindane for both scabies and lice.

Lindane has been used on humans for over 60 years. Millions of doses have been applied to patients worldwide. It is still the number one treatment of choice in all of Central and South America, Africa, the Middle East, and Asia for head lice.

The literature does indeed document rare reported cases of percutaneous absorption leading to systemic symptoms. In over 90% of these cases the problem was overuse, misuse, drinking the lotion (!), or use of agricultural Lindane (20-30%) instead of medical Lindane (1%). It is important to separate these rare adverse events and place them as a numerator to the millions upon millions of doses used over the past 60 years. I once calculated how many prescriptions of Lindane I would have to write to encounter one adverse event unrelated to misuse. I chose the number of barrels of Lindane manufactured in a year and chose a ridiculously high adverse event rate. Estimating 45 seconds to write one Rx, I would have to write day and night 24 hours a day, 365 days a year for over 300 years to encounter one adverse event.

Are there alternatives to Lindane? Yes, of course. Each has its pluses and minuses. What is important is that insects become resistant to insecticides. Treatment-resistant lice exist in any given area that overuses a single prescription. Multiple treatment modalities are always needed. Lindane needs to remain as a physician-prescribed lotion or shampoo for home use.


This legislation also sets a very dangerous precedent. Why would or should a state committee unschooled in human metabolism, medicine, pharmacy or physiology ban or restrict an FDA approved medicine? Any information on a medicine's uses or adverse effects would be thoroughly studied by the FDA whose main function is to assure the safety of medicines prescribed in the whole USA.

I would be happy to present my testimony to your committee in person if you wish more in-depth analysis of the issues involved.

And that fetus exposed to Lindane when my wife used it, what happened to her? She just finished her freshman year at Harvard with stellar grades in high-level courses. Don't let these alarmist anti-Lindane

advocates scare you into thinking Lindane is a dreadful neurotoxin. It just isn't so.

Sincerely,

A handwritten signature in black ink, appearing to read "Tor Shwayder". The signature is fluid and cursive, with the first name "Tor" being more prominent.

Tor Shwayder, MD

Fellow American Academies of Pediatrics

Fellow American Academies of Dermatology

Boarded, Pediatric Dermatology

Director, Pediatric Dermatology

Director, Dermatology Residency Program

Points of VIEW ON LINDANE

[Information DOWNLOADS](#)

Medical & Scientific Opinions

[Points of View on Lindane:](#)

[Jocelyn Elders, MD, Former US Surgeon General and Director of Health for the State of Arkansas. Distinguished Professor of Pediatrics and Public Health at the University of Arkansas for Medical Sciences. February 18, 2008.](#)

[Len I. Sweet, PhD, MPH, Msc. Senior Health Scientist, Chemrisk. University of Michigan Alum of Toxicology, Environmental Science and Public Health Graduate Programs. February 23, 2008.](#)

[Tor Shwayder, MD, Director, Pediatric Dermatology; Director, Dermatology Residency Program, Henry Ford Hospital, Detroit, Michigan, June 2007.](#)

[Adelaide A. Herbert, MD, Professor of Pediatrics and Dermatology, The University of Texas Medical School at Houston; President, Society for Pediatric Dermatology, May 2007](#)

[Amy S. Paller, MD, Walter J. Hamlin Professor and Chair, Dept. of Dermatology, Professor of Pediatrics, Feinberg School of Medicine, Northwestern University, May 2007](#)

[Amy S. Paller, MD, Walter J. Hamlin Professor and Chair, Dept. of Dermatology, Professor of Pediatrics, Feinberg School of Medicine, Northwestern University, May 2005](#)

[Medical Society of the State of New York, March 2007](#)

[Medical Society of the State of New York, June 2005](#)

[Pharmacists Society of the State of New York, April 2006](#)

[U.S. Food and Drug Administration's \(FDA\) Response to Citizen's Petition, 1997](#)

[U.S. FDA Assessment Memorandum on Lindane, posted 2003](#)

[U.S. Centers for Disease Control and Prevention \(CDC\) Sexually Transmitted Disease Treatment Guidelines](#)

[U.S. Environmental Protection Agency \(EPA\) Evaluation of Carcinogenic Potential of Lindane, 2001](#)

[U.S. EPA Reregistration Eligibility Decision \(RED\), 2002](#)

[U.S. EPA Revised Assessment of Risk From Use of Lindane For Treatment of Lice and Scabies, July 2002](#)

[U.S. EPA Response to Comments on the 2002 Lindane RED, July 2006](#)

[World Health Organization Background Document on Lindane for Drinking-Water Quality Guidelines, 2004](#)

Please See [Important Safety Information for Lindane Lotion and Shampoo](#)

Commitment to Public Health and Safety | Lindane Prescribing Information | FDA Information on Lindane

Copyright © 2007 Morton Grove Pharmaceuticals, Inc.



3031 West Grand Boulevard
Suite 800
Detroit, MI 48202
(313) 916-2151 Appts.
(313) 916-2093 Fax

Henry W. Lim, M.D.
Chair, Dept. of Dermatology
Clarence S. Livingood Chair
in Dermatology
(313) 916-4060 Office
E-Mail: hlim1@hfhs.org

Edward A. Krull, M.D.
Chair Emeritus
E. A. Krull Chair in
Dermatologic Surgery
(313) 916-2170

Biologics

Lubomira Scherschun, M.D.
Henry K. Wong, M.D., Ph.D.
(313) 916-2171

Clinical Studies

Linda Stein, M.D.
Lubomira Scherschun, M.D.
(313) 916-8847

Contact Dermatitis

Earl J. Rudner, M.D.
(313) 916-2164

Dermatology Research

Faith M. Strickland, Ph.D.
(313) 874-3385
Henry K. Wong, M.D., Ph.D.
(313) 874-9171

Dermatopathology

Marsha L. Chaffins, M.D.
(313) 916-2172
Min W. Lee, M.D.
Chan K. Ma, M.D.
Adrian H. Ormsby, M.D.

Hair

Ethan Nydorf, M.D.
(313) 916-2168

Laser Therapy

Ethan Nydorf, M.D.
David Ozog, M.D.
Mark Pomaranski, M.D.
Tor Shwayder, M.D.
(313) 916-2150

Lymphoma

Henry W. Lim, M.D.
Henry K. Wong, M.D., Ph.D.
(313) 916-2171

Mohs Micrographic Surgery,

Cosmetic Dermatology
Mark R. Balle, M.D.
Mark Pomaranski, M.D.
(248) 661-7317

Multicultural Clinic

Diane M. Jackson-Richards, M.D.
(313) 916-2111

Pediatric Dermatology

Tor A. Shwayder, M.D.
(313) 916-2161

Photodermatology, Vitiligo

Henry W. Lim, M.D.

Pigmented Lesions

Ethan Nydorf, M.D.
Alice Watson, M.D.
(313) 916-2170

Psoriasis

Lubomira Scherschun, M.D.
(313) 916-7679

DEPARTMENT OF DERMATOLOGY
Henry Ford Medical Center
New Center One

Rep. Rebekah Warren
Chair, Committee on the Great Lakes and the
Environment
P.O. Box 30014
Lansing, MI 48909

Re: House Bill 4569 regarding Lindane 12 June 2007

Dear Rep. Warren and Honorable Members of the
Committee,

I am director of Pediatric Dermatology at Henry Ford Hospital in Detroit. This letter concerns the above captioned bill mandating the banning and/or in-office use of topical medical-grade Lindane lotion. Let me put it succinctly: Lindane is safe, effective, it is not toxic if used as directed. I have used it repeatedly on many, many patients over the last 25 years without incident. I have even used it on myself, my children and my pregnant wife. It should continue to be available for pharmacy dispensation and home use by patients.

My training in both pediatrics and dermatology allows me to judge this issue. I am board certified in Pediatrics, in Dermatology and in the sub-specialty of Pediatric Dermatology. Since 1987 I have been director of Pediatric Dermatology at Henry Ford Hospital in Detroit. The University of Michigan Medical School taught the use of Lindane for scabies and lice during my training there. The same was true of my pediatric residency at U of M. Further training at University of Rochester Department of Dermatology (a second residency) reinforced the use of Lindane for both scabies and lice.

Lindane has been used on humans for over 60 years. Millions of doses have been applied to patients worldwide. It is still the number one treatment of choice in all of Central and South America, Africa, the Middle East, and Asia for head lice.

The literature does indeed document rare reported cases of percutaneous absorption leading to systemic symptoms. In over 90% of these cases the problem was overuse, misuse, drinking the lotion (!), or use of agricultural Lindane (20-30%) instead of medical Lindane (1%). It is important to separate these rare adverse events and place them as a numerator to the millions upon millions of doses used over the past 60 years. I once calculated how many prescriptions of Lindane I would have to write to encounter one adverse event unrelated to misuse. I chose the number of barrels of Lindane manufactured in a year and chose a ridiculously high adverse event rate. Estimating 45 seconds to write one Rx, I would have to write day and night 24 hours a day, 365 days a year for over 300 years to encounter one adverse event.

Are there alternatives to Lindane? Yes, of course. Each has its pluses and minuses. What is important is that insects become resistant to insecticides. Treatment-resistant lice exist in any given area that overuses a single prescription. Multiple treatment modalities are always needed. Lindane needs to remain as a physician-prescribed lotion or shampoo for home use.


This legislation also sets a very dangerous precedent. Why would or should a state committee unschooled in human metabolism, medicine, pharmacy or physiology ban or restrict an FDA approved medicine? Any information on a medicine's uses or adverse effects would be thoroughly studied by the FDA whose main function is to assure the safety of medicines prescribed in the whole USA.

I would be happy to present my testimony to your committee in person if you wish more in-depth analysis of the issues involved.

And that fetus exposed to Lindane when my wife used it, what happened to her? She just finished her freshman year at Harvard with stellar grades in high-level courses. Don't let these alarmist anti-Lindane

advocates scare you into thinking Lindane is a dreadful neurotoxin. It just isn't so.

Sincerely,

A handwritten signature in black ink, appearing to read "Tor Shwayder". The signature is fluid and cursive, with the first name "Tor" and last name "Shwayder" clearly distinguishable.

Tor Shwayder, MD

Fellow American Academies of Pediatrics
Fellow American Academies of Dermatology
Boarded, Pediatric Dermatology
Director, Pediatric Dermatology
Director, Dermatology Residency Program